KIDNEY INTERNATIONAL

Volume 53, Number 1, January 1998

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

INVITED CONTRIBUTION

In Memoriam: Carl William Gottschalk. *William B. Blythe* 1

PERSPECTIVES IN RENAL MEDICINE

X-linked hypercalciuric nephrolithiasis: Clinical syndromes and chloride channel mutations. *Steven J. Scheinman* 3

PERSPECTIVES IN BASIC SCIENCE

Liddle Syndrome: An autosomal dominant form of human hypertension. *David G. Warnock* 18

GENETIC DISORDERS - DEVELOPMENT

Amylin as a growth factor during fetal and postnatal development of the rat kidney. *Peter J. Wookey, Christos Tikellis, Michael Nobes, David Casley, Mark E. Cooper, and Ian A. Darby* 25

CLCN5 mutation Ser244Leu is associated with X-linked renal failure without X-linked recessive hypophosphatemic rickets. *Catherine L. Kelleher, Vardaman M. Buckalew, Edward D. Frederickson, Donna J. Rhodes, David A. Conner, Jonathan G. Seidman, and Christine E. Seidman* 31

HORMONES - CYTOKINES - SIGNALING

Involvement of transcriptional mechanisms in the inhibition of NOS2 expression by dexamethasone in rat mesangial cells. *Marta Saura, Carlos Zaragoza, Manuela Díaz-Cazorla, Octavio Hernández-Perera, Eudora Eng, Charles J. Lowenstein, Dolores Pérez-Sala and Santiago Lamas* 38

Actions of hepatocyte growth factor as a local modulator in the kidney: Potential role in pathogenesis of renal disease. *Yoshikage Yo, Ryuichi Morishita, Kei Yamamoto, Naruya Tomita, Iwao Kida, Shin-ichiro Hayashi, Atsushi Moriguchi, Shin-ichiro Kato, Kunio Matsumoto, Toshikazu Nakamura, Jitsuo Higaki, and Toshio Ogihara* 50

Pleiotropic effects of dihydrotestosterone in immortalized mouse proximal tubule cells. *Zahia Quar, Esther Solé, Marcelle Bens, Marie E. Rafestin-Oblin, Anna Meseguer, and Alain Vandewalle* 59

Serum α2-macroglobulin and α1 inhibitor 3 concentrations are increased in hypoalbuminemia by post transcriptional mechanisms. *Frazier T. Stevenson, Stephanie Greene, and George A. Kaysen* 67

Cyclin D1, p16, and retinoblastoma gene regulate mitogenic signaling of endothelin in rat mesangial cells. *Yoshio Terada, Seiji Inoshita, Osamu Nakashima, Takehisa Yamada, Mimi Tamamori, Hiroshi Ito, Sei Sasaki, and Fumiaki Marumo* 76

Interleukin-8 delays spontaneous and tumor necrosis factor-α-mediated apoptosis of human neutrophils. *Ralph Kettritz, Marcia L. Gaido, Hermann Haller, Friedrich C. Luft, Charles J. Jennette, and Ronald J. Falk* 84

Angiotensin II inhibits growth of cultured embryonic renomedullary interstitial cells through the AT_2 receptor. *Christine Maric, G. Peter Aldred, Peter J. Harris, and Daine Alcorn* 92

CELL BIOLOGY - IMMUNOLOGY - PATHOLOGY

Intracellular targets in heme protein-induced renal injury. *Karl A. Nath, Joseph P. Grande, Anthony J. Croatt, Scott Likely, Robert P. Hebbel, and Helen Enright* 100

Contents continued on next page

Interleukin-4 deficiency enhances Th1 responses and crescentic glomerulonephritis in mice. *A. Richard Kitching, Peter G. Tipping, David A. Mutch, Xiao Ru Huang, and Stephen R. Holdsworth* 112

Analysis of mouse glomerular podocyte mRNA by single-cell reverse transcription-polymerase chain reaction. *Bernd Schröppel, Stephan Huber, Michael Horster, Detlef Schlöndorff, and Mathias Kretzler* . 119

Renal calcium oxalate binding protein: Studies on its properties. *Marimuthu Adhirai and Ramasamy Selvam* 125

Estrogen accelerates the development of renal disease in female obese Zucker rats. *Matthew D. Gades, Judith S. Stern, Harry van Goor, Dung Nguyen, Patricia R. Johnson, and George A. Kaysen* 130

De novo glomerular osteopontin expression in rat crescentic glomerulonephritis. *Hui Y. Lan, Xue Q. Yu, Niansheng Yang, David J. Nikolic-Paterson, Wei Mu, Raimund Pichler, Richard J. Johnson and Robert C. Atkins* 136

Inhibition of *myo*-inositol transport causes acute renal failure with selective medullary injury in the rat. *Hiroshi Kitamura, Atsushi Yamauchi, Toshihiro Sugiura, Yasuko Matsuoka, Masaru Horio, Masaya Tohyama, Shoichi Shimada, Enyu Imai and Masatsugu Hori* 146

TECHNICAL NOTE: Functional quantitative analysis of the genome in cultured human mesangial cells. *Yoshinari Yasuda, Toshio Miyata, Masaomi Nangaku, Yoshiyasu Iida, Kenji Maeda, Kiyoshi Kurokawa, and Kousaku Okubo* 154

ION CHANNELS - MEMBRANE TRANSPORT - INTEGRATIVE PHYSIOLOGY

Minimum urine flow rate during water deprivation: Importance of the permeability of urea in the inner medulla. *Manjula Gowrishankar, Ilan Lenga, Richard Y. Cheung, Surinder Cheema-Dhadli and Mitchell Lewis Halperin* 159

VASCULAR BIOLOGY - HEMODYNAMICS - HYPERTENSION

A cross-over medication trial for autosomal-dominant hypertension with brachydactyly. *Herbert Schuster, Okan Toka, Hakan R. Toka, Andreas Busjahn, Özgür Öztekin, Thomas F. Wienker, Nihat Bilginturan, Sylvia Bahring, Falko Skrabal, Hermann Haller, and Friedrich C. Luft* 167

CLINICAL NEPHROLOGY - EPIDEMIOLOGY - CLINICAL TRIALS

Effect of octreotide, captopril or insulin on renal changes and UAE in long-term experimental diabetes. *Henning Grönbæk, Ioa Vogel, Ruth Österby, Ioana Lancranjan, Allan Flyvbjerg, and Hans Ørskov* 173

Proportionate increase of fibrinogen and albumin synthesis in nephrotic patients: Measurements with stable isotopes. *Monique G.M. de Sain-van der Velden, George A. Kaysen, Kees de Meer, Frans Stellaard, Hieronymus A.M. Voorbij, Dirk-Jan Reijngoud, Ton J. Rabelink, and Hein A. Koomans* 181

Quantitative studies of human urinary excretion of uropontin. *Wei Min, Hiroshi Shiraga, Charles Chalko, Stanley Goldfarb, G. Gopal Krishna, and John R. Hoyer* 189

Contribution of human uropontin to inhibition of calcium oxalate crystallization. *John R. Asplin, Denise Arsenault, Joan H. Parks, Fredric L. Coe, and John R. Hoyer* 194

DIALYSIS - TRANSPLANTATION

Interactions between cyclosporin A and adenosine in kidney transplant recipients. *Regis Guieu, Bertrand Dussol, Christiane Devaux, Jerome Sampol, Philippe Brunet, Hervé Rochat, Guy Bechis, and Yvon François Berland* 200

Diminished linear growth during intermittent calcitriol therapy in children undergoing CCPD. *Beatriz D. Kuizon, William G. Goodman, Harald Jüppner, Ines Boechat, Pauline Nelson, Barbara Gales, and Isidro B. Salusky* 205

GBV-C/HGV in hemodialysis patients: Anti-E2 antibodies and GBV-C/HGV-RNA in serum and peripheral blood mononuclear cells. *Barbara Tribl, Christian Oesterreicher, Erich Pohanka, Gere Sunder-Plassmann, Dagmar Petermann, Christian Müller* 212

Association of chronic kidney graft failure with recipient blood pressure. *Gerhard Opelz, Thomas Wujciak, and Eberhard Ritz, for the Collaborative Transplant Study* 217

Rapid Communication: A calcimimetic agent acutely suppresses PTH levels in patients with chronic renal failure. *John E. Antonsen, Donald J. Sherrard, and Dennis L. Andress* 223

EDITORIAL

CLC-5 channels and renal disease. *Rajiv Kumar* 228

NEPHROLOGY FORUM

Contrast-medium-induced acute renal failure. *Richard Solomon* 230

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 243

Awards and grants 247

Instructions for Authors on page 249

KIDNEY INTERNATIONAL

Volume 53, Number 2, February 1998

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Animal models of anti-neutrophil cytoplasmic antibody associated vasculitis. *Peter Heeringa, Elisabeth Brouwer, Jan Willem Cohen Tervaert, Jan J. Weening, and Cees G.M. Kallenberg* 253

PERSPECTIVES IN BASIC SCIENCE

Strategies of gene transfer to the kidney. *Enyu Imai and Yoshitaka Isaka* 264

GENETIC DISORDERS – DEVELOPMENT

A familial case of renal cell carcinoma and a t(2;3) chromosome translocation. *Marianne I. Koolen, Ad P.M. van der Meyden, Danielle Bodmer, Marc Eleveld, Erica van der Looij, Han Brunner, Arie Smits, Eva van den Berg, Dominique Smeets, and Ad Geurts van Kessel* 273

Hereditary nephropathic systemic amyloidosis caused by a novel variant apolipoprotein A-I. *Malcolm R. Persey, David R. Booth, Susanne E. Booth, Raul Van Zyl-Smit, Bruce K. Adams, Abe B. Fattaar, Glenys A. Tennent, Philip N. Hawkins, and Mark B. Pepys* 276

RAPID COMMUNICATION: A locus for inherited focal segmental glomerulosclerosis maps to chromosome 19q13. *Beverly J. Mathis, Sung H. Kim, Kenneth Calabrese, Mark Haas, J.G. Seidman, Christine E. Seidman, and Martin R. Pollak* 282

HORMONES – CYTOKINES – SIGNALING

Synergistic effect of dexamethasone and isoproterenol on the expression of angiotensinogen in immortalized rat proximal tubular cells. *Lisu Wang, Chunli Lei, Shao-Ling Zhang, Kenneth D. Roberts, Shiow-Shih Tang, Julie R. Ingelfinger, and John S.D. Chan* 287

Localization of inositol 1,4,5-trisphosphate receptors in the rat kidney. *Toshiaki Monkawa, Matsuhiko Hayashi, Atsushi Miyawaki, Tomoyasu Sugiyama, Miki Yamamoto-Hino, Mamoru Hasegawa, Teiichi Furuichi, Katsuhiko Mikoshiba, and Takao Saruta* 296

Thrombospondin 1 precedes and predicts the development of tubulointerstitial fibrosis in glomerular disease in the rat. *Christian Hugo, Stuart J. Shankland, Raimund H. Pichler, William G. Couser, and Richard J. Johnson* 302

Effect of glucose on the expression of angiotensinogen gene in opossum kidney cells. *Tian-Tian Wang, Xiao-Hua Wu, Shao-Ling Zhang, and John S.D. Chan* 312

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Immune complex glomerulonephritis in C4- and C3-deficient mice. *Richard J. Quigg, Alice Lim, Mark Haas, Jessy J. Alexander, Chun He, and Michael C. Carroll* 320

In situ complement activation in porcine membranoproliferative glomerulonephritis type II. *Johan H. Jansen, Kolbjørn Høgåsen, Morten Harboe, and Torstein Hovig* 331

Morphine modulates proliferation of kidney fibroblasts. *Pravin C. Singhal, Pratima Sharma, Vibha Sanwal, Abhinav Prasad, Aditi Kapasi, Rajiv Ranjan, Nicholas Franki, Krishna Reddy and Nora Gibbons* 350

Immortalized rat proximal tubule cells produce membrane bound and soluble megalin. *Flavia F. Jung, David R. Bachinsky, Shiow-Shih Tang, Gang Zheng, Daniel Diamant, Liam Haveran, Robert T. McCluskey and Julie R. Ingelfinger* 358

Redox regulation of renal DNA synthesis, transforming growth factor-β1 and collagen gene expression. *Karl A. Nath, Joseph Grande, Anthony Croatt, James Haugen, Youngki Kim, and Mark E. Rosenberg* 367

Contents continued on next page

Expression of iNOS, eNOS, and peroxynitrite-modified proteins in experimental anti-myeloperoxidase associated crescentic glomerulonephritis. *Peter Heeringa, Harry van Goor, Han Moshage, Pieter A. Klok, Minke G. Huitema, Alie de Jager, Anja J. Schep, and Cees G.M. Kallenberg* 382

In vitro and *in vivo* evidence suggesting a role for iron in cisplatin-induced nephrotoxicity. *Radhakrishna Baliga, Zhiwei Zhang, Mithra Baliga, Norishi Veda, and Sudhir V. Shah* 394

Rapid Communication: Human Goodpasture anti-α(IV)NCI authoantibodies share structural determinants. *Kevin E.C. Meyers, Paul A. Kinniry, Raghuram Kalluri, Eric G. Neilson, and Michael P. Madaio* 402

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Metabolic support of collecting duct transport. *Kathleen S. Hering-Smith and L. Lee Hamm* 408

Renal catabolism of advanced glycation end products: the fate of pentosidine. *Toshio Miyata, Yasuhiko Ueda, Katsunori Horie, Masaomi Nangaku, Shuichi Tanaka, Charles van Ypersele de Strihou, and Kiyoshi Kurokawa* 416

Effect of long-term hyperosmolality on the Na^+/H^+ exchanger isoform NHE-3 in LLC-PK_1 cells. *Manoocher Soleimani, Bruns A. Watts, III, Gurinder Singh, and David W. Good* 423

Sodium-dependent Cl^-/HCO_3^- exchange in patients with chronic renal failure: Correlation with renal function. *Martin Tepel, Oliver Nesbit, Faruk Tokmak, and Walter Zidek* 432

Technical Note: Long-term *shake* suspension and membrane vesicles of medullary thick ascending limb. *Amel Attmane-Elakeb, Valérie Sibella, Alain Moreau, Catherine Vernimmen, Gerard Feldmann, Michel Paillard, and Maurice Bichara* 439

RENAL PHARMACOLOGY

NPS R-568 halts or reverses osteitis fibrosa in uremic rats. *Michihito Wada, Hiromi Ishii, Yoshihiro Furuya, John Fox, Edward F. Nemeth, and Nobuo Nagano* 448

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Apa I polymorphism in the vitamin D receptor gene may affect the parathyroid response in Japanese with end-stage renal disease. *Keitaro Yokoyama, Takashi Shigematsu, Toshihiko Tsukada, Yousuke Ogura, Fumi Takemoto, Sigeko Hara, Akira Yamada, Yoshindo Kawaguchi, and Tatsuo Hosoya* 454

Fracture risk among patients with urolithiasis: A population-based cohort study. *L. Joseph Melton, III, Cynthia S. Crowson, Sundeep Khosla, David M. Wilson, and W. Michael O'Fallon* 459

DIALYSIS – TRANSPLANTATION

Contribution of early acute rejection episodes to chronic rejection in a rat kidney retransplantation model. *Stefan Günther Tullius, Melina Nieminen, Wolf Otto Bechstein, Sven Jonas, Thomas Steinmüller, Yan Qun, Johann Pratschke, Elena Graser, Pranav Sinha, Hans-Dieter Volk, Peter Neuhaus, and Nicholas L. Tilney* 465

A multidisciplinary approach to hemodialysis access: prospective evaluation. *Michael Allon, Robert Bailey, Robert Ballard, Mark H. Deierhoi, Kay Hamrick, Rachel Oser, V. Keith Rhynes, Michelle L. Robbin, Souheil Saddekni, and Stephen T. Zeigler* 473

Surgical salvage of failed radiocephalic arteriovenous fistulae: Techniques and results in 29 patients. *David D. Oakes, John P. Sherck, and Luther F. Cobb* 480

Carbamylated hemoglobin and carbamylated plasma protein in hemodialyzed patients. *Cynthia M. Balion, Thomas F. Draisey, and Roger J. Thibert* 488

Hyaluronan prevents the decreased net ultrafiltration caused by increased peritoneal dialysate fill volume. *Tao Wang, Hui-hong Cheng, Olof Heimbürger, Jacek Waniewski, Jonas Bergström, and Bengt Lindholm* 496

TECHNICAL NOTE

Use of gadopentetate dimeglumine as a contrast agent for percutaneous transluminal renal angioplasty and stent placement. *David J. Spinosa, Alan H. Matsumoto, J. Fritz Angle, and Klaus D. Hagspiel* ... 503

EDITORIALS

Apolipoprotein A-1 and amyloidosis: A genetic model for aging. *Merrill D. Benson* 508

Calcimimetics in action. *Donald J. Sherrard* 510

NEPHROLOGY FORUM

Pathophysiology of pre-renal azotemia. *Roland C. Blantz* 512

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 524

Awards and grants 528

Erratum 530

Instructions for Authors on page xiii

KIDNEY INTERNATIONAL

Volume 53, Supplement 64, February 1998

Intensive Care Nephrology

The Proceedings of the First International

Course on Critical Care Nephrology

Dresden, Germany

May 2–3, 1997

Table of contents

Introduction. *Peter Gross and Detlev M. Albrecht* S-1
Hypertensive crisis: Pathophysiology, treatment and handling of complications. *Martin Tepel and Walter Zidek* S-2
The treatment of severe hyponatremia. *Peter Gross, Doreen Reimann, Julia Neidel, Catrin Döke, Fernand Prospert, Guy Decaux, Joseph Verbalis, and Robert W. Schrier* S-6
Severe hyponatremia after transsphenoidal surgery for pituitary adenomas. *Markus Boehnert, Johannes Hensen, Anja Henig, Rudolph Fahlbusch, Peter Gross, and Michael Buchfelder* S-12
Pathophysiology of acute renal failure in septic shock: From prerenal to renal failure. *H. Andreas Bock* S-15
Potential role of growth factors in the prophylaxis and treatment of acute renal failure. *Marc R. Hammerman* S-19
Prophylaxis and treatment of acute renal failure by vasoactive agents: The fact and the myths. *John Conger* S-23
Nitric oxide in sepsis-syndrome: Potential treatment of septic shock by nitric oxide synthase antagonists. *Markus Ketteler, Claudia Cetto, Martina Kirdorf, Gunhild S. Jeschke, J. Heiner Schäfer, and Armin Distler* S-27
Therapeutic options for critically ill patients suffering from progressive lupus nephritis or Goodpasture's syndrome. *Frank Merkel, Kai-Olaf Netzer, Oliver Gross, Martin Marx, and Manfred Weber* ... S-31
Vasculitis in the seriously ill patient: Diagnostic approaches and therapeutic options in ANCA-associated vasculitis. *Wilhelm H. Schmitt and Wolfgang L. Gross* S-39
Hemolytic uremic syndrome/thrombotic thrombocytopenic purpura: Pathophysiology and treatment. *Guy H. Neild* S-45
Treatment of severe nephrotic syndrome. *Karlwilhelm Kühn, Anna Haas-Wöhrle, Anne Lutz-Vorderbrügge, and Helmut Felten* S-50
Pharmacology and therapeutic applications of hirudin, a new anticoagulant. *Erika Glusa* S-54
Extracorporeal therapies in acute renal failure: Different therapeutic options. *Norbert Gretz, Michael Quintel, and Bettina Kränzlin* S-57
Plasmapheresis and immunoadsorption: Different techniques and their current role in medical therapy. *K. Matthias Schneider* S-61
Origin and mediators involved in sepsis and the systemic inflammatory response syndrome. *Thea Koch* S-68
Monitoring individual organ functions and dysfunction during septic shock. *F. Christ* S-70
Strategies of volume therapy in sepsis and the systemic inflammatory response syndrome. *Uwe Kreimeier and Klaus Peter* S-75
Positive role of immune nutrition on metabolism in sepsis and multi-organ failure. *Michael Georgieff and Ilyas Franz Tugtekin* S-80
Blood compatible polymers in intensive care units: State of the art and current aspects of biomaterials research. *Max Ragaller, Carsten Werner, Jörg Bleyl, Sigrid Adam, Hans-Joerg Jacobasch, and Detlev M. Albrecht* S-84

KIDNEY INTERNATIONAL

Volume 53, Number 3, March 1998

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Prolonged total fasting: A feast for the integrative physiologist. *Kamel S. Kamel, Shih-Hua Lin, Surinder Cheema-Dhadli, Errol B. Marliss, and Mitchell L. Halperin* 531

PERSPECTIVES IN BASIC SCIENCE

Activation and potential interactions between the arachidonic acid and L-arginine:nitric oxide pathways in glomerulonephritis. *Elias A. Lianos* 540

GENETIC DISORDERS – DEVELOPMENT

Genetic deficiency of angiotensinogen produces an impaired urine concentrating ability in mice. *Minoru Kihara, Satoshi Umemura, Yoichi Sumida, Nobuyuki Yokoyama, Machiko Yabana, Nobuo Nyui, Kouichi Tamura, Kazuo Murakami, Akiyoshi Fukamizu, and Masao Ishii* 548

Point mutations of the human parathyroid calcium receptor gene are not responsible for non-suppressible renal hyperparathyroidism. *Stefan Degenhardt, Andrea Toell, Wolfgang Weidemann, Cornelia Dotzenrath, Klaus-Dieter Spindler, and Bernd Grabensee* 556

Isolation of genes identified in mouse renal proximal tubule by comparing different gene expression profiles. *Masaru Takenaka, Enyu Imai, Tetsuya Kaneko, Takahito Ito, Toshiki Moriyama, Atsushi Yamauchi, Masatsugu Hori, Shoko Kawamoto, and Kousaku Okubo* 562

HORMONES – CYTOKINES – SIGNALING

Altered sphingomyelinase and ceramide expression in the setting of ischemic and nephrotoxic acute renal failure. *Richard A. Zager, Scott Conrad, Karen Lochhead, Elizabeth A. Sweeney, Yasuyuki Igarashi, and K.M. Burkhart* 573

Extracellular Mg^{2+}- and Ca^{2+}-sensing in mouse distal convoluted tubule cells. *Brian W. Bapty, Long-jun Dai, Gordon Ritchie, Frank Jirik, Lucie Canaff, Geoffrey N. Hendy, and Gary A. Quamme* . 583

Renal cell cytokine production stimulates HIV-1 expression in chronically HIV-1-infected monocytes. *Michael P. O'Donnell, Chun C. Chao, Genya Gekker, Kulwant S. Modi, Bertram L. Kasiske, and William F. Keane* 593

Exogenous nitric oxide inhibits mesangial cell adhesion to extracellular matrix components. *Jian Yao, Harald O. Schoecklmann, Felicitas Pröls, Stefan Gauer, and R. Bernd Sterzel* 598

Transforming growth factor-β1 regulates chemokine and complement production by human proximal tubular epithelial cells. *Jort S.J. Gerritsma, Cees van Kooten, Arnout F. Gerritsen, Leendert A. van Es, and Mohamed R. Daha* 609

Angiotensinogen gene null-mutant mice lack homeostatic regulation of glomerular filtration and tubular reabsorption. *Soichiro Okubo, Fumio Niimura, Taiji Matsusaka, Agnes Fogo, Brigid L.M. Hogan, and Iekuni Ichikawa* 617

Role of secondary hyperparathyroidism in the genesis of hypertriglyceridemia and VLDL receptor deficiency in chronic renal failure. *Kaihui Liang, Fariba Oveisi, and Nosratola D. Vaziri* 626

Glycated albumin stimulates fibronectin gene expression in glomerular mesangial cells: Involvement of the transforming growth factor-β system. *Fuad N. Ziyadeh, Dong Cheol Han, Jonathan A. Cohen, Jia Guo, and Margo P. Cohen* 631

Rapid Communication: Transforming growth factor-β_1 hyperexpression in African American end-stage renal disease patients. *Manikkam Suthanthiran, Ashwani Khanna, David Cukran, Rohini Adhikarla, Vijay K. Sharma, Tejinder Singh, and Phyllis August* 639

Contents continued on next page

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Regulatory interactions between inducible nitric oxide synthase and eicosanoids in glomerular immune injury. *Elias A. Lianos, Kelly Guglielmi, and Mukut Sharma* 645

NAD(P)H oxidase activity in cultured human podocytes: Effects of adenosine triphosphate. *Stefan Greiber, Thomas Münzel, Stefanie Kästner, Barbara Müller, Peter Schollmeyer, and Hermann Pavenstädt* 654

Induction of anti-GBM nephritis in rats by recombinant α3(IV)NC1 and α4(IV)NC1 of type IV collagen. *Yoshikazu Sado, Ariel Boutaud, Megumi Kagawa, Ichiro Naito, Yoshifumi Ninomiya, and Billy G. Hudson* 664

Heme oxygenase is induced in nephrotoxic nephritis and hemin, a stimulator of heme oxygenase synthesis, ameliorates disease. *Karen Mosley, David E. Wembridge, Victoria Cattell, and H. Terence Cook* 672

Interferon-γ-treated renal tubular epithelial cells induce allospecific tolerance. *Loredana Frasca, Federica Marelli-Berg, Nesrina Imami, Ilaria Potolicchio, Paul Carmichael, Giovanna Lombardi, and Robert Lechler* 679

Three-dimensional matrix primes mesangial cells to down-regulation of α-smooth muscle actin via deactivation of CArG box elements. *Masanori Kitamura and Yoshihisa Ishikawa* 690

Injection of low and iso-osmolar contrast medium decreases oxygen tension in the renal medulla. *Per Liss, Anders Nygren, Uno Erikson, and Hans R. Ulfendahl* 698

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Hypoxia decreases calcium influx into rat proximal tubules. *Susan M.A. Peters, Maria J.H. Tijsen, Carel H. van Os, Jack F.M. Wetzels, René J.M. Bindels* 703

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Size-selectivity of the glomerular barrier to high molecular weight proteins: Upper size limitations of the shunt pathways. *Jan Tencer, Inga-Maria Frick, Björn W. Öquist, Per Alm, and Bengt Rippe* 709

TGF-β type II receptor in rat renal vascular development: Localization to juxtaglomerular cells. *Ailian Liu and Barbara J. Ballerman* 716

RENAL PHARMACOLOGY

Bindarit retards renal disease and prolongs survival in murine lupus autoimmune disease. *Carla Zoja, Daniela Corna, Giuditta Benedetti, Marina Morigi, Roberta Donadelli, Angelo Guglielmotti, Mario Pinza, Tullio Bertani, and Giuseppe Remuzzi* 726

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Risk of atrophy in kidneys with atherosclerotic renal artery stenosis. *Michael T. Caps, R. Eugene Zierler, Nayak L. Polissar, Robert O. Bergelin, Kirk W. Beach, Kim Cantwell-Gab, Alder Casadei, Robert C. Davidson, and D. Eugene Strandness, Jr.* 735

Diagnostic value of standardized assays for anti-neutrophil cytoplasmic antibodies in idiopathic systemic vasculitis. *E. Christiaan Hagen, Mohamed R. Daha, Jo Hermans, Konrad Andrassy, Elena Csernok, Gillian Gaskin, Phillippe Lesavre, Jens Lüdemann, Niels Rasmussen, R. Alberto Sinico, Allan W?iik, and Fokko J. van der Woude, for the EC/BCR Project for ANCA Assay Standardization* 743

Proximal tubular basement membrane width in insulin-dependent diabetes mellitus. *Paula L. Brito, Paola Fioretto, Keith Drummond, Youngki Kim, Michael W. Steffes, John M. Basgen, Susan Sisson-Ross, and Michael Mauer* 754

DIALYSIS – TRANSPLANTATION

Targets of alloantibodies in Alport anti-glomerular basement membrane disease after renal transplantation. *David Brainwood, Clifford Kashtan, Marie Claire Gubler, and A. Neil Turner* 762

Patient survival after renal transplantation: I. The impact of dialysis pre-transplant. *Fernando G. Cosio, Amir Alamir, Susan Yim, Todd E. Pesavento, Michael E. Falkenhain, Mitchell L. Henry, Elmahdi A. Elkhammas, Elizabeth A. Davies, Ginny L. Bumgardner, and Ronald M. Ferguson* 767

Factors predicting malnutrition in hemodialysis patients: A cross-sectional study. *A. Rashid Qureshi, Anders Alvestrand, Anders Danielsson, José C. Divino-Filho, Alberto Gutierrez, Bengt Lindholm, and Jonas Bergström* 773

Dialysis neutropenia: The role of the cytoskeleton. *Bruce Tabor, Bernd Geissler, Ross Odell, Bärbel Schmidt, Matthias Blumenstein, and Klaus Schindhelm* 783

EDITORIALS

Establishing a role for sphingolipids in renal injury and stress responses. *James A. Shayman* 790
Transforming growth factor-β_1 and renal disease in African Americans. *Saulo Klahr* 792
Assessing the evolution of atherosclerotic renal artery stenosis. *Robert D. Toto* 794
Diagnostic predictive value of ANCA serology. *J. Charles Jennette, Alice S. Wilkman, and Ronald J. Falk* 796

NEPHROLOGY FORUM

Revascularization in atherosclerotic renal artery disease. *Stephen C. Textor* 799

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 812
Awards and grants 816
Erratum 818

Instructions for Authors on page xiii

KIDNEY INTERNATIONAL

Volume 53, Number 4, April 1998

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Meta-analysis as a clinical tool in nephrology. *Bertram L. Kasiske* 819

PERSPECTIVES IN BASIC SCIENCE

Renal microvascular assembly and repair: Power and promise of molecular definition. *Takamune Takahashi, Uyen Huynh-Do, and Thomas O. Daniel* 826

GENETIC DISORDERS – DEVELOPMENT

Genetic studies into inherited and sporadic hemolytic uremic syndrome. *Paul Warwicker, Timothy H.J. Goodship, Rosemary L. Donne, Yves Pirson, Anthony Nicholls, Roy M. Ward, Peter Turnpenny, and Judith A. Goodship* (see Editorial, p. 1085) 836

HORMONES – CYTOKINES – SIGNALING

Dysregulation of cytokine expression in tubulointerstitial nephritis associated with murine malaria. *Li Rui-Mei, A. U. Kara, and Raja Sinniah* 845

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Expression of connective tissue growth factor in human renal fibrosis. *Yasuhiko Ito, Jan Aten, Richard J. Bende, Barry S. Oemar, Ton J. Rabelink, Jan J. Weening, and Roel Goldschmeding* 853

Estrogen induces glomerulosclerosis in analbuminemic rats. *Jaap A. Joles, Harry van Goor, and Hein A. Koomans* 862

Glomerular expression of $p27^{Kip1}$ in diabetic *db/db* mouse: Role of hyperglycemia. *Gunter Wolf, Regine Schroeder, Friedrich Thaiss, Fuad N. Ziyadeh, Udo Helmchen, and Rolf A.K. Stahl* 869

Mesangiolytic glomerulopathy in severe congestive heart failure. *Haruyoshi Yoshida, Masatomo Yashiro, Ping Liang, Eri Muso, Fiji Takeuchi, Toshihide Shimada, Ken-Ichi Sekita, Takahiko Ono, Kazuro Kanatsu, Taketoshi Sugiyama, Chuichi Kawai, and Shigetake Sasayama* 880

Expression of the cyclin kinase inhibitor, $p27^{kip1}$, in developing and mature human kidney. *Heidi L. Combs, Stuart J. Shankland, Shannon V. Setzer, Kelly L. Hudkins, and Charles E. Alpers* (see Editorial, p. 1087) 892

Accelerated apoptosis characterizes cyclosporine-associated interstitial fibrosis. *Susan E. Thomas, Takeshi F. Andoh, Raimund H. Pichler, Stuart J. Shankland, William G. Couser, William M. Bennett, and Richard J. Johnson* 897

Adhesion molecules and urinary tumor necrosis factor-α in idiopathic membranous glomerulonephritis. *Eero Honkanen, Eeva von Willebrand, Anna-Maija Teppo, Tom Törnroth, and Carola Grönhagen-Riska* 909

Podocytes undergo phenotypic changes and express macrophagic-associated markers in idiopathic collapsing glomerulopathy. *Jean Bariéty, Dominique Nochy, Chantal Mandet, Christian Jacquot, Denis Glotz, and Alain Meyrier* 918

Technical Note: Subtractive hybridization cloning: An efficient technique to detect overexpressed mRNAs in diabetic nephropathy. *Marie-Noëlle Peraldi, Jeannig Berrou, Jacqueline Hagège, Eric Rondeau, and Jean-Daniel Sraer* 926

Rapid Communication: Anti-GBM glomerulonephritis in mice lacking nitric oxide synthase type 2. *Victoria Cattell, H. Terence Cook, Hatim Ebrahim, Simon N. Waddington, Xiao-qing Wei, Karel J.M. Assman, and Foo Y. Liew* 932

Contents continued on next page

RAPID COMMUNICATION: Accelerated fibrosis and collagen deposition develop in the renal interstitium of angiotensin type 2 receptor null mutant mice during ureteral obstruction. *Ji Ma, Hideki Nishimura, Agnes Fogo, Valentina Kon, Tadashi Inagami, and Iekuni Ichikawa* 937

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Na/H exchange and H-K ATPase increase distal tubule acidification in chronic alkalosis. *Donald E. Wesson* 945

Control of calcium oxalate crystal structure and cell adherence by urinary macromolecules. *Jeffrey A. Wesson, Elaine M. Worcester, John H. Wiessner, Neil S. Mandel, and Jack G. Kleinman* 952

The Na^+-K^+-ATPase $\beta 1$ subunit is associated with the HK$\alpha 2$ protein in the rat kidney. *Jeffrey A. Kraut, Jan Hiura, Jai M. Shin, Adam Smolka, George Sachs, and David Scott* 958

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Contribution of endothelin receptors in renal microvessels in acute cyclosporine-mediated vasoconstriction in rats. *Alessandro Cavarape, Karlhans Endlich, Fabiola Feletto, Niranjan Parekh, Ettore Bartoli, and Michael Steinhausen* 963

Basic fibroblast growth factor is a morphogenic modulator in kidney vessel development. *Sabine Kloth, Johannes Gerdes, Christiane Wanke, and Will W. Minuth* 970

Autocrine/paracrine role of adrenomedullin in cultured endothelial and mesangial cells. *Hideo Michibata, Masashi Mukoyama, Issei Tanaka, Shin-ichi Suga, Masayo Nakagawa, Rieko Ishibashi, Masahisa Goto, Kenichi Akaji, Yoichi Fijiwara, Yoshiaki Kiso, and Kazuwa Nakao* 979

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Angiotensin converting enzyme inhibitor-induced renal dysfunction in atherosclerotic renovascular disease. *Peter J.G. van de Ven, Jaap J. Beutler, Rob Kaatee, Frederik J.A. Beek, Willem P.Th.M. Mali, and Hein A. Koomans* 986

Increased VLDL in nephrotic patients results from a decreased catabolism while increased LDL results from increased synthesis. *Monique G. de Sain-van der Velden, George A. Kaysen, Hugh A. Barrett, Frans Stellaard, Mireille M. Gadellaa, Hieronymus A. Voorbij, Dirk-Jan Reijngoud, and Ton J. Rabelink* 994

Angiotensin converting enzyme gene polymorphism and ACE inhibition in diabetic nephropathy. *Peter Jacobsen, Kasper Rossing, Peter Rossing, Lise Tarnow, Christine Mallet, Odette Poirier, Francois Cambien, and Hans-Henrik Parving* 1002

DIALYSIS – TRANSPLANTATION

Involvement of interleukin-8 in dialysis-related arthritis. *Fumio Takayama, Takashi Miyazaki, Isao Aoyama, Saori Tsukushi, Motoyoshi Sato, Chikao Yamazaki, Kaoru Shimokata, and Toshimitsu Niwa* . 1007

Icodextrin with nitroprusside increases ultrafiltration and peritoneal transport during long CAPD dwells. *Caroline E. Douma, Johan K. Hiralall, Dirk R. de Waart, Dirk G. Struijk, and Raymond T. Krediet* (see Editorial, p. 1089) 1014

Universal precautions prevent hepatitis C virus transmission: A 54 month follow-up of the Belgian multicenter study. *Michel Jadoul, Chantal Cornu, Charles van Ypersele de Strihou, and the Universitaires Cliniques St-Luc (UCL) Collaborative Group* 1022

Anaphylactoid reactions during hemodialysis in sheep are ACE inhibitor dose-dependent and mediated by bradykinin. *Detlef H. Krieter, Matthias Grude, Horst-Dieter Lemke, Edwin Fink, Gerd Bönner, Bernward A. Schölkens, Egbert Schulz, and Gerhard A. Müller* 1026

Identification of operational clues to dry weight prescription in hemodialysis using bioimpedance vector analysis. *Antonio Piccoli, for the Italian Hemodialysis-Bioelectrical Impedance Analysis (HD-BIA) Study Group* 1036

Rapid activation of the complement system by cuprophane depends on complement component C4. *Karl Lhotta, Reinhard Würzner, Florian Kronenberg, Martin Oppermann, and Paul König* 1044

Effect of on-line conductivity plasma ultrafiltrate kinetic modeling on cardiovascular stability of hemodialysis patients. *Francesco Locatelli, Simeone Andrulli, Salvatore Di Filippo, Bruno Redaelli, Stefano Mangano, Carlo Navino, Rosario Ariano, Marco Tagliaferri, Tommaso Fidelio, Mauro Corti, Silvia Civardi, and Ciro Tetta* 1052

Bicarbonate and bicarbonate/lactate peritoneal dialysis solutions for the treatment of infusion pain. *Robert A. Mactier, Timothy S. Sprosen, Ram Gokal, Paul F. Williams, Marianne Lindbergh, Ramesh B. Naik, Ulf Wrege, Knut-Christian Gröntoft, Rutger Larsson, Jonas Berglund, Anders P. Tranæus, and Dirk Faict* 1061

Hemodialysis and L-arginine, but not D-arginine, corrects renal failure-associated endothelial dysfunction. *Malcolm F. Hand, William G. Haynes, and David J. Webb* 1068

Nocturnal hypoxemia, night-day arterial pressure changes and left ventricular geometry in dialysis patients. *Carmine Zoccali, Frank Antonio Benedetto, Giovanni Tripepi, Francesco Cambareri, Vincenzo Panuccio, Vincenzo Candela, Francesca Mallamaci, Giuseppe Enia, Carlo Labate, and Filippo Tassone* 1078

EDITORIALS

Are HUS and TTP genetically determined? *Marina Noris and Giuseppe Remuzzi* 1085

Morphogenic cues that modulate podocyte growth. *Gunter Wolf and Eric G. Neilson* 1087

A novel "bimodal" use of icodextrin peritoneal dialysis solutions. *John Burkart* 1089

NEPHROLOGY FORUM

Combined kidney-pancreas transplantation. *Donald E. Hricik* 1091

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1104

Awards and grants 1107

Instructions for Authors on page 1110

KIDNEY INTERNATIONAL

Volume 53, Supplement 65, April 1998

Symposium en Hommage à Claude Amiel

Physiology and Pathophysiology of Epithelial Transport

Faculté de Médecine Xavier Bichat

Paris, France

12-13 September 1997

Table of contents

Introduction. *Gérard Friedlander, Gabriel Richet, Roscoe R. Robinson, and Thomas E. Andreoli* ... S-1

TRANSPORT IN THE PROXIMAL TUBULE

Cellular/molecular control of renal Na/P_i-cotransport. *Heini Murer, Ian Forster, Helene Hilfiker, Markus Pfister, Brigitte Kaissling, Marius Lötscher, and Jürg Biber* S-2

P-glycoprotein functions and substrates: Possible roles of MDR1 gene in the kidney. *Sylvain Ernest and Elsa Bello-Reuss* S-11

Autocrine/paracrine control of renal phosphate transport. *Gérard Friedlander* S-18

TRANSPORT IN THE LOOP OF HENLE

Properties and regulation of medullary thick limb basolateral Cl^- channels. *W. Brian Reeves, Christopher J. Winters, Ludwika Zimniak, and Thomas E. Andreoli* S-24

Transducing pathways involved in the control of NaCl reabsorption in the thick ascending limb of Henle' s loop. *Claire Bailly* S-29

H^+ and HCO_3^- transporters in the medullary thick ascending limb of the kidney: Molecular mechanisms, function and regulation. *Michel Paillard* S-36

TRANSPORT IN THE DISTAL NEPHRON

Atomic force microscopy of renal cells: Limits and prospects. *Eric Lesniewska, Marie-Cécile Giocondi, Véronique Vié, Eric Finot, Jean-Pierre Goudonnet, and Christian Le Grimellec* S-42

Regulation of sodium transport by steroid hormones. *Jean-Pierre Bonvalet* S-49

Role of aquaporin-2 water channels in urinary concentration and dilution defects. *Pierre-Yves Martin and Robert W. Schrier* S-57

PROGRESSION OF CHRONIC RENAL FAILURE

Nitric oxide/endothelin balance after nephron reduction. *Sistiana Aiello, Giuseppe Remuzzi, and Marina Noris* S-63

Early molecular mechanisms in the progression of renal failure: Role of growth factors and protooncogenes. *Fabiola Terzi, Martine Burtin, and Gérard Friedlander* S-68

Progressive renal disease: The chronic hypoxia hypothesis. *Leon G. Fine, Chrystalla Orphanides, and Jill T. Norman* S-74

TRANSPORT IN LUNG EPITHELIUM

Sodium transport in alveolar epithelial cells: Modulation by O_2 tension. *Christine Clerici* S-79

Role of distal airspace epithelium for resolving alveolar edema. *Georges Saumon and Didier Dreyfuss* S-84

Inflammatory role of alveolar epithelial cells. *Bruno Crestani and Michel Aubier* S-88

TRANSPORT IN THE MIDDLE AND INNER EAR

Ion transports in the middle ear epithelium. *Philippe Herman, Ching-Ting Tan, F. Portier, Christine Clerici, Brigitte Escoubet, Gérard Friedlander, and Patrice Tran Ba Huy* S-94

Contents continued on next page

Mechanisms of endolymph secretion. *Evelyne Ferrary and Olivier Sterkers* S-98
Cell and molecular basis of hearing. *David J. Lim and Federico Kalinec* S-104

HOMAGE TO CLAUDE AMIEL

Commemoration. *Philippe Lazar* S-114
Claude Amiel. *Roscoe R. Robinson* S-116
Contributions of Claude Amiel. *Gabriel Richet* S-118

KIDNEY INTERNATIONAL

Volume 53, Number 5, May 1998

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

A critique of the overfill hypothesis of sodium and water retention in the nephrotic syndrome. *Robert W. Schrier and Robert G. Fassett* 1111

PERSPECTIVES IN BASIC SCIENCE

Switching off renal inflammation by anti-inflammatory mediators: The facts, the promise and the hope. *Laurent Baud, Bruno Fouqueray, and Agnès Bellocq* 1118

GENETIC DISORDERS – DEVELOPMENT

A novel frameshift mutation induced by an adenosine insertion in the polycystic kidney disease 2 (*PKD2*) gene. *York Pei, Kairong Wang, Margareth Kasenda, Andrew D. Paterson, Yan Liang, Eric Huang, Jeromy Lian, Ekaterina Rogovea, Stefan Somlo, and Peter St. George-Hyslop* 1127

HORMONES – CYTOKINES – SIGNALING

Atrial natriuretic peptide inhibits endothelin-1-induced activation of JNK in glomerular mesangial cells. *Motohide Isono, Masakazu Haneda, Shiro Maeda, Mariko Omatsu-Kanbe, and Ryuichi Kikkawa* 1133

C-type natriuretic peptide inhibits mesangial cell proliferation and matrix accumulation *in vivo*. *Sima Canaan-Kühl, Tammo Ostendorf, Kerstin Zander, Karl-Martin Koch, and Jürgen Floege* 1143

Interaction of IGF-I and $1\alpha,25(OH)_2D_3$ on receptor expression and growth stimulation in rat growth plate chondrocytes. *Günter Klaus, Lutz Weber, Julian Rodríguez, Porfirio Fernández, Thomas Klein, J. Grulich-Henn, Ulrike Hügel, Eberhard Ritz, and Otto Mehls* 1152

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Heparin-binding epidermal growth factor-like growth factor in experimental models of membranous and minimal change nephropathy. *Kathy Paizis, Geoffrey Kirkland, Mary Polihronis, Marina Katerelos, John Kanellis, and David A. Power* 1162

DNA binding of activator protein-1 is increased in human mesangial cells cultured in high glucose concentrations. *William A. Wilmer and Fernando G. Cosio* 1172

Interstitial fibrosis in hypercholesterolemic rats: Role of oxidation, matrix synthesis, and proteolytic cascades. *Allison A. Eddy, with the technical assistance of Elaine Liu and Lori McCulloch* 1182

Clinicopathological significance of intratubular giant macrophages in progressive glomerulonephritis. *Takashi Oda, Osamu Hotta, Yoshio Taguma, Hiroshi Kitamura, Hisako Sugai, Shin Onodera, Ikuo Horigome, Kazuyuki Suzuki, Yoshiharu Shouji, Takashi Furuta, Shigemi Chiba, Nobuyuki Yoshizawa, and Hiroshi Nagura* 1190

Effects of a novel elastase inhibitor, ONO-5046, on nephrotoxic serum nephritis in rats. *Satoru Suzuki, Fumitake Gejyo, Takeshi Kuroda, Junichirou James Kazama, Naofumi Imai, Hideki Kimura, and Masaaki Arakawa* 1201

Urinary protein excretion rate is the best independent predictor of ESRF in non-diabetic proteinuric chronic nephropathies. *Piero Ruggenenti, Annalisa Perna, Lidia Mosconi, Roberto Pisoni, and Giuseppe Remuzzi, on behalf of the "Gruppo Italiano di Studi Epidemiologici in Nefrologia" (GISEN)* 1209

Infection of human primary renal epithelial cells with HIV-1 from children with HIV-associated nephropathy. *Patricio E. Ray, Xue-Hui Liu, Dot Henry, Louis Dye III, Lian Xu, Jan M. Orenstein, and Ted E. Schuztbank* 1217

Contents continued on next page

Technical Note: Clinical evaluation of a capture ELISA for detection of proteinase-3 antineutrophil cytoplasmic antibody. *Kerstin W.A. Westman, Daina Selga, Per Bygren, Mårten Segelmark, Bo Baslund, Allan Wiik, and Jörgen Wieslander* 1230

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

High glucose concentration causes a rise in $[Ca^{2+}]i$ of cardiac myocytes. *Miroslaw Smogorzewski, Varuzhan Galfayan, and Shaul G. Massry* 1237

Impaired aquaporin and urea transporter expression in rats with adriamycin-induced nephrotic syndrome. *Patricia Fernández-Llama, Peter Andrews, Søren Nielsen, Carolyn A. Ecelbarger, and Mark A. Knepper* (see Editorial, p 1417) 1244

Effects of thyroid hormone on the neonatal renal cortical Na^+/H^+ antiporter. *Michel Baum, Vangipuram Dwarakanath, Robert J. Alpern, and Orson W. Moe* 1254

Erythropoietin receptor-operated Ca^{2+} channels: Activation by phospholipase C-γ1. *Mario B. Marrero, Richard C. Venema, Heping Ma, Brian N. Ling, and Douglas C. Eaton* 1259

Polarized distribution of Na^+/H^+ exchanger isoforms in rabbit collecting duct cells. *Lorenzo Guerra, Francesca Di Sole, Giovanna Valenti, Pierre M. Ronco, Elda Perlino, Valeria Casavola, and Stephen J. Reshkin* 1269

Expression of glucose transporters in human peritoneal mesothelial cells. *Bernd Schröppel, Michael Fischereder, Patrick Wiese, Stephan Segerer, Stephan Huber, Matthias Kretzler, Peter Heiss, Thomas Sitter, and Detlef Schlöndorff* 1278

Regulation of renal phosphate transport by acute and chronic metabolic acidosis in the rat. *Patrice M. Ambühl, Hubert K. Zajicek, Huamin Wang, Krishna Puttaparthi, and Moshe Levi, with the technical assistance of Paul Wilson* 1288

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Salt intake determines the renal response to L-arginine infusion in normal human subjects. *Yousri M. Barri and Christopher S. Wilcox* 1299

Human kallikrein gene delivery protects against gentamycin-induced nephrotoxicity in rats. *Hideyuki Murakami, Katsutoshi Yayama, Lee Chao, and Julie Chao* 1305

RENAL PHARMACOLOGY

Therapeutic effects of prostacyclin analog on crescentic glomerulonephritis of rat. *Masahiko Kushiro, Kenichi Shikata, Hikaru Sugimoto, Yasushi Shikata, Nobuyuki Mitake, Jun Wada, Masayuki Miyasaka, and Hirofumi Makino* 1314

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Down-regulation of Fcα receptors on blood cells of IgA nephropathy patients: Evidence for a negative regulatory role of serum IgA. *Béatrice Grossetête, Pierre Launay, Agnès Lehuen, Paul Jungers, Jean-François Bach, and Renato C. Monteiro* 1321

Apo(a)-isoform size, nutritional status and inflammatory markers in chronic renal failure. *Peter Stenvinkel, Olof Heimbürger, Catherine H. Tuck, and Lars Berglund* 1336

Insulin resistance and hyperinsulinemia are already present in patients with incipient renal disease. *Danilo Fliser, Giovanni Pacini, Renate Engelleiter, Alexandra Kautzky-Willer, Rudolf Prager, Edward Franek, and Eberhard Ritz* 1343

Technical Note: Simultaneous determination of oxalate, citrate and sulfate in children's plasma with ion chromatography. *Bernd Hoppe, Markus J. Kemper, Michael G. Hvizd, Dawn E. Sailer, Craig B. Langman* 1348

DIALYSIS – TRANSPLANTATION

1,25-Dihydroxyvitamin D_3 corrects insulin and lipid abnormalities in uremia. *Robert H.K. Mak* 1353

Bone disease in children and adolescents undergoing successful renal transplantation. *Cheryl P. Sanchez, Isidro B. Salusky, Beatriz D. Kuizon, Jorge A. Ramirez, Barbara Gales, Robert B. Ettenger, and William G. Goodman* 1357

β2-microglobulin modified with advanced glycation end products modulates collagen synthesis by human fibroblasts. *William F. Owen, Jr., Fan Fan Hou, Robert O. Stuart, Jonathan Kay, Joshua Boyce, Glenn M. Chertow, and Ann Marie Schmidt* 1365

Effect of hepatitis C infection and renal transplantation on survival in end-stage renal disease. *Brian J.G. Pereira, Svetlozar N. Natov, Beth A. Bouthot, B. V. R. Murthy, Robin Ruthazer, Christopher H. Schmid, Andrew S. Levey, and The New England Organ Bank Hepatitis C Study Group* (see Editorial, p 1419) 1374

Hemodialysis stimulates hepatocyte growth factor release. *Teresa Rampino, Carmelo Libetta, Walter De Simone, Andrea Ranghino, Grazia Soccio, Marilena Gregorini, Paola Guallini, Luca Tamagnone, and Antonio Dal Canton* 1382

Differential response of glomerular epithelial and mesangial cells after subtotal nephrectomy. *Grace S.L. Lee, Cynthia C. Nast, Susy C. Peng, Alexander Artishevsky, Chun-Gyoo Ihm, Roy Guillermo, Patricia S. Levin, Richard J. Glassock, Janine LaPage, and Sharon G. Adler* 1389

Control of serum phosphate without any phosphate binders in patients treated with nocturnal hemodialysis. *Istvan Mucsi, Gavril Hercz, Robert Uldall, Michaelene Ouwendyk, Robert Francoeur, and Andreas Pierratos* 1399

Peritoneal urea and creatinine clearances in continuous peritoneal dialysis patients with different types of peritoneal solute transport. *Antonios H. Tzamaloukas, Glen H. Murata, Beth Piraino, Panduranga Rao, Judith Bernardini, Deepak Malhotra, Dimitrios G. Oreopoulos* 1405

TECHNICAL NOTE: Crystalluria: A clinically useful investigation in children with primary hyperoxaluria post-transplantation. *Philippe Jouvet, Laurence Priqueler, Marie France Gagnadoux, Dominique Jan, Annick Beringer, Florence Lacaille, Yan Revillon, Michel Broyer, and Michel Daudon* 1412

EDITORIALS

Water channels in health and disease. *Tomas Berl* 1417

Hepatitis C and renal transplantation: The controversy continues. *Simin Goral and J. Harold Helderman* 1419

NEPHROLOGY FORUM

Fibrillary glomerulopathy. *Hugh R. Brady* 1421

LETTER TO THE EDITOR

Does the *ob* gene product leptin stimulate erythropoiesis in patients with chronic renal failure? *Peter Stenvinkel, Olof Heimbürger, Fredrik Lönnqvist, and Peter Bárány* 1430

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1433

Awards and grants 1437

Instructions for Authors on page xxi

KIDNEY INTERNATIONAL

Volume 53, Supplement 66, May 1998

The Proceedings of the First International Course

on Critical Care Nephrology

Vicenza, Italy

May 20–30, 1998

Table of contents

Critical care nephrology: The time has come. *Claudio Ronco, Rinaldo Bellomo, Mariano Feriani, and Giuseppe LaGreca* S-1

The critically ill patient. *Michael R. Pinsky* S-3

EPIDEMIOLOGY AND PATHOGENESIS OF ACUTE RENAL FAILURE IN THE ICU

Acute renal failure: Definition and pathogenesis. *Allen R. Nissenson* S-7

Role of growth factors in acute renal failure. *Francesco Paolo Schena* S-11

The spectrum of acute renal failure in the intensive care unit compared with that seen in other settings. *Fernando Liaño, Eduardo Junco, Rosario Madero, Julio Pascual, Eduardo Verde, and the Madrid Acute Renal Failure Study Group* S-16

Acute renal failure as a part of multiple organ failure: The slippery slope of critical illness. *Dorothy Breen and David Bihari* S-25

THE KIDNEY IN SEPSIS

Pathogenesis of renal failure in sepsis. *Abel Thijs and Lambert G. Thijs* S-34

Role of soluble mediators in sepsis and renal failure. *Giovanni Camussi, Claudio Ronco, Giuseppe Montrucchio, and Giuseppe Piccoli* S-38

Transfer of endogenous pyrogens across artificial membranes? *Gerhard Lonnemann, Sylvia Linnenweber, Michael Burg, and Karl M. Koch* S-43

THE KIDNEY AND OTHER ORGAN DYSFUNCTION

Hepatorenal syndrome: Definition, pathophysiology, clinical features and management. *Ramón Bataller, Pau Sort, Pere Ginés, and Vicente Arroyo* S-47

The hemolytic-uremic syndrome. *Giuseppe Remuzzi and Piero Ruggenenti* S-54

The kidney in heart failure. *Rinaldo Bellomo and Claudio Ronco* S-58

THE CONSERVATIVE MANAGEMENT OF ACUTE RENAL FAILURE IN THE ICU

Stress metabolism and nutritional support in acute renal failure. *Xavier Leverve and Didier Barnoud* S-62

Use of diuretics in the acute care setting. *John A. Kellum* S-67

Hemodynamic support and the role of dopamine. *Rinaldo Bellomo, Louise Cole, and Claudio Ronco* S-71

Plasma dopamine concentration and effects of low dopamine doses on urinary output after major vascular surgery. *Vittorio Pavoni, Marco Verri, Luca Ferraro, Carlo Alberto Volta, Lara Paparella, Maurizia Capuzzo, Lina Pavanelli, Cosimetta Buccoliero, Lorenzo Beani, Raffaele Alvisi, and Gaetano Gritti* S-75

CLINICAL MANAGEMENT OF ACUTE RENAL FAILURE IN THE ICU

Metabolic acidosis in the critically ill: Lessons from physical chemistry. *John A. Kellum* S-81

Antibiotic therapy and microbiologic considerations in the intensive care unit. *Fausto de Lalla* ... S-87

Contents continued on next page

Role of renal biopsy in the diagnosis and prognosis of acute renal failure. *Vittorio E. Andreucci, Giorgio Fuiano, Pasquale Stanziale, and Michele Andreucci* S-91

Coagulation disorders in acute renal failure. *Miet R.C. Schetz* S-96

Imaging techniques in acute renal failure. *Roberto Pozzi Mucelli and Michele Bertolotto* S-102

RENAL REPLACEMENT AND SUPPORT

Indications and criteria for initiating renal replacement therapy in the intensive care unit. *Rinaldo Bellomo and Claudio Ronco* S-106

The place of intermittent hemodialysis in the treatment of acute renal failure in the ICU patient. *Norbert Lameire, W. Van Biesen, Raymond Vanholder, and F. Colardijn* S-110

CONTINUOUS RENAL REPLACEMENT THERAPY

History and development of continuous renal replacement techniques. *Hilmar Burchardi* S-120

Continuous versus intermittent renal replacement therapy in the intensive care unit. *Rinaldo Bellomo and Claudio Ronco* S-125

Classical and alternative indications for continuous renal replacement therapy. *Miet R.C. Schetz* .. S-129

Renal replacement therapy in acute renal failure: Solute removal mechanisms and dose quantification. *William R. Clark and Claudio Ronco* S-133

Outcome studies of continuous renal replacement therapy in the intensive care unit. *William Silvester* S-138

PRACTICAL ASPECTS OF CRRT

Temporary vascular access for extracorporeal renal replacement therapies in acute renal failure patients. *Bernard Canaud, Hélène Leray-Moragues, Martin Leblanc, Kada Klouche, Carlos Vela, and Jean-Jacques Béraud* S-142

Electrolyte disorders and substitution fluid in continuous renal replacement therapy. *Francesco Locatelli, Giuseppe Pontoriero, and Salvatore Di Filippo* S-151

Acid-base balance and replacement solutions in continuous renal replacement therapies. *Mariano Feriani and Roberto Dell' Aquila* S-156

TECHNIQUES AND INDICATIONS

Continuous renal replacement therapy: Evolution in technology and current nomenclature. *Claudio Ronco and Rinaldo Bellomo* S-160

Drug dosing adjustments during continuous renal replacement therapies. *Thomas A. Golper and Michael A. Marx* S-165

Continuous renal replacement therapy in critically ill neonates. *Gerfried Zobel, Siegfried Rödl, Bernd Urlesberger, Michaela Kuttnig-Haim, and Ekkehard Ring* S-169

Hemofiltration during cardiopulmonary bypass. *Didier Journois* S-174

Plasmapheresis in the critically ill patient. *Giorgio Berlot, Ariella Tomasini, Luciano Silvestri, and Antonino Gullo* S-178

FUTURE TRENDS AND INNOVATION

Preliminary experience with high-volume hemofiltration in human septic shock. *Rinaldo Bellomo, Louise Cole, Ian Baldwin, and Claudio Ronco* S-182

Continuous plasma filtration coupled with absorbents. *Ciro Tetta, Jean M. Cavaillon, Giovanni Camussi, F. Gerhard Lonnemann, Alessandra Brendolan, and Claudio Ronco* S-186

Quo vadis CRRT? *Claudio Ronco and Rinaldo Bellomo* S-190

KIDNEY INTERNATIONAL

Volume 53, Number 6, June 1998

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

FOREFRONTS IN NEPHROLOGY: GENES AND GENETICS IN HYPERTENSION AND VASCULAR DISEASE
Gross Dölln, Germany
September 4–7, 1997

Introduction. *Hermann Haller and Friedrich C. Luft* 1439

Overview of strategies for complex genetic diseases. *Françoise Clerget-Darpoux* 1441

The relative power of linkage and association studies for the detection of genes involved in hypertension. *Hywel B. Jones* 1446

Approaches to the genetics of cardiovascular disease through genetic field work. *Herbert Schuster, Anja Lamprecht, Christine Junghans, Birgit Dietz, Heike Baron, Michael Nothnagel, Bertram Müller-Myhsok, and Friedrich C. Luft* 1449

β-2 Adrenoceptor genetic variation is associated with genetic predisposition to essential hypertension: The Bergen Blood Pressure Study. *Bernd Timmermann, Rune Mo, Friedrich C. Luft, Eva Gerdts, Andreas Busjahn, Per Omvik, Guo-Hua Li, Herbert Schuster, Thomas F. Wienker, Margret R. Hoehe, and Per Lund-Johansen* 1455

Role of genetic variants of the renin-angiotensin system in chronic renal allograft injury. *Arya M. Sharma, Joachim Beige, and Armin Distler* 1461

G proteins and hypertension: An alternative candidate gene approach. *Winfried Siffert* 1466

α-Adducin polymorphisms and renal sodium handling in essential hypertensive patients. *Paolo Manunta, Daniele Cusi, Cristina Barlassina, Marco Righetti, Chiara Lanzani, Marco D'Amico, Laura Buzzi, Lorena Citterio, Paola Stella, Rodolfo Rivera, and Giuseppe Bianchi* 1471

Angiotensin I-converting enzyme and angiotensinogen gene interaction and prediction of essential hypertension. *Anna Vašků, Miroslav Souček, Vladimir Znojil, Ivan Řiháček, Svatava Tschöplová, Lenka Střelcová, Karel Cídl, Michaela Blažková, Dobroslav Hájek, Lydie Hollá, and Jiří Vácha* 1479

The Ob protein (leptin) and the kidney. *Kumar Sharma and Robert V. Considine* 1483

Newborn and adult recombinant inbred strains: A tool to search for genetic determinants of target organ damage in hypertension. *Pavel Hamet, Zdenka Pausova, Pierre Dumas, Yu Lin Sun, Johanne Tremblay, Michal Pravenec, Jaroslav Kunes, Drahomira Krenova, and Vladimir Kren* 1488

Genetic basis of salt-susceptibility in the Sabra rat model of hypertension. *Yoram Yagil and Chana Yagil* 1493

Is the nitric oxide system involved in genetic hypertension in Dahl rats? *Alan Y. Deng* 1501

The Wilms' tumor suppressor *WT1*: Approaches to gene function. *Aswin Menke, Lesley McInnes, Nicholas D. Hastie, and Andreas Schedl* 1512

Vascular development and disorders: Molecular analysis and pathogenic insights. *Peter Carmeliet and Désiré Collen* 1519

Antisense oligodesoxynucleotide strategies in renal and cardiovascular disease. *Hermann Haller, Christian Maasch, Duska Dragun, Maren Wellner, Michael von Janta-Lipinski, and Friedrich C. Luft* . 1550

PERSPECTIVES IN RENAL MEDICINE

Antihypertensive treatment of patients with proteinuric renal diseases: Risks or benefits of calcium channel blockers? *Heinrich J. Kloke, Amanda J. Branten, Frans T. Huysmans, Jack F. Wetzels* 1559

Contents continued on next page

PERSPECTIVES IN BASIC SCIENCE

An appraisal of T cell subsets and the potential for autoimmune injury. *Carolyn J. Kelly, Yaacov Frishberg,* and *Daniel P. Gold* 1574

GENETIC DISORDERS – DEVELOPMENT

Expression of neuronal type nitric oxide synthase and renin in the juxtaglomerular apparatus of angiotensin type-1a receptor gene-knockout mice. *Minoru Kihara, Satoshi Umemura, Takeshi Sugaya, Yoshiyuki Toya, Machiko Yabana, Tetsuo Kadota, Reiji Kishida, Akiyoshi Fukamizu, Kazuo Murakami, and Masao Ishii* 1585

Spectrum of early onset nephrotic syndrome associated with *WT1* missense mutations. *Valérie Schumacher, Karl Schärer, Elke Wühl, Hans Altrogge, Klaus-E. Bonzel, Michael Guschmann, Thomas J. Neuhaus, Rosa M. Pollastro, Eberhard Kuwertz-Bröking, Monika Bulla, Andrea-M. Tondera, Peter Mundel, Udo Helmchen, Rüdiger Waldherr, Angela Weirich, and Brigitte Royer-Pokora* 1594

HORMONES – CYTOKINES – SIGNALING

TGF-β_1 dissociates human proximal tubule cell growth and Na^+-H^+ exchange activity. *David W. Johnson, Heather J. Saunders, Bronwyn K. Brew, Philip Poronnik, David I. Cook, Michael J. Field, and Carol A. Pollock* 1601

Protein overload stimulates RANTES production by proximal tubular cells depending on NF-κB activation. *Carla Zoja, Roberta Donadelli, Stella Colleoni, Marina Figliuzzi, Samantha Bonazzola, Marina Morigi, and Giuseppe Remuzzi* 1608

Anti-latent TGF-β binding protein-1 antibody or synthetic oligopeptides inhibit extracellular matrix expression induced by stretch in cultured rat mesangial cells. *Yuichi Hori, Tetsuo Katoh, Masao Hirakata, Nobuhiko Joki, Shinya Kaname, Masafumi Fukagawa, Toshihiro Okuda, Hideya Ohashi, Toshiro Fujita, Kohei Miyazono, and Kiyoshi Kurokawa* 1616

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Distinct HLA class II alleles determine antibody response to vaccination with hepatitis B surface antigen. *Sophie Caillat-Zucman, Jean-Jacques Gimenez, François Wambergue, Ginette Albouze, Bernard Lebkiri, Catherine Naret, Anne Moynot, Paul Jungers, and Jean-François Bach* 1626

Gene transfer of RANTES elicits autoimmune renal injury in MRL*Fas*^{lpr} mice. *Kathryn J. Moore, Takashi Wada, Susannah D. Barbee, and Vicki Rubin Kelley* (see Editorial, p. 1807) 1631

Effect of hypoxia on proximal tubules isolated from nitric oxide synthase knockout mice. *Hong Ling, Patricia E. Gengaro, Charles L. Edelstein, Pierre-Yves Martin, Adisorn Wangsiripaisan, Raphael Nemenoff, and Robert W. Schrier* 1642

Clusterin protects against oxidative stress *in vitro* through aggregative and nonaggregative properties. *Gary B. Schwochau, Karl A. Nath, and Mark E. Rosenberg* 1647

Effects of hypertonic stress on transforming growth factor-β activity in normal rat kidney cells. *Toshihiro Sugiura, Atsushi Yamauchi, Hiroshi Kitamura, Yasuko Matusoka, Masaru Horio, Enyu Imai, and Masatsugu Hori* 1654

Differential effects of glutathione and cysteine on Fe^{2+}, Fe^{3+}, H_2O_2 and myoglobin-induced proximal tubular cell attack. *Richard A. Zager and Kristin M. Burkhart* 1661

Meprin A, the major matrix degrading enzyme in renal tubules, produces a novel nidogen fragment *in vitro* and *in vivo*. *Patrick D. Walker, Gur P. Kaushal, and Sudhir V. Shah* 1673

Verotoxins induce apoptosis in human renal tubular epithelium derived cells. *Tomoko Taguchi, Hiroshi Uchida, Nobutaka Kiyokawa, Tetsuya Mori, Norihide Sato, Hiroshi Horie, Tae Takeda, and Junichiro Fujimoto* 1681

Cloning of a novel gene in the human kidney homologous to rat munc13s: Its potential role in diabetic nephropathy. *Yong Song, Menachem Ailenberg, and Mel Silverman* 1689

Effect of $1,25(OH)_2$ vitamin D_3 on glomerulosclerosis in subtotally nephrectomized rats. *Ute Schwarz, Kerstin Amann, Stephan R. Orth, Aureliza Simonaviciene, Sabine Wessels, and Eberhard Ritz* 1696

Mesangial cell hypertrophy induced by NH_4Cl: Role of depressed activities of cathepsins due to elevated lysosomal pH. *Hong Ling, Pyam Ardjomand, Spiro Vamvakas, Andreas Simm, Gillian L. Busch, Florian Lang, Katarina Sebekova, and August Heidland* 1706

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Cadmium inhibits vacuolar H^+-ATPase and endocytosis in rat kidney cortex. *Carol M. Herak-Kramberger, Dennis Brown, and Ivan Sabolić* 1713

Identification of structural domains in inter-α-trypsin inhibitor involved in calcium oxalate crystallization. *Hiroshi Kobayashi, Kiyoshi Shibata, Michio Fujie, Dan Sugino, and Toshihiko Terao* 1727

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Hypercholesterolemia aggravates radiocontrast nephrotoxicity: Protective role of L-arginine. *Lúcia Andrade, Sílvia B. Campos, and Antonio C. Seguro* 1736

Angiotensin converting enzyme gene I/D polymorphism in essential hypertension and nephroangiosclerosis. *Patricia Fernández-Llama, Esteban Poch, Josep Oriola, Albert Botey, Elisabet Coll, Alejandro Darnell, Francisca Rivera, and Luis Revert* 1743

Role of increased oxygen free radical activity in the pathogenesis of uremic hypertension. *Nosratola D. Vaziri, Fariba Oveisi, and Yaoxian Ding* 1748

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Renal involvement in Henoch-Schönlein purpura: A multivariate analysis of prognostic factors. *Yoshitsugu Kaku, Kaoru Nohara, and Sunao Honda* 1755

Expression of endothelial and inducible nitric oxide synthase in human glomerulonephritis. *Akira Furusu, Masanobu Miyazaki, Katsushige Abe, Shoko Tsukasaki, Kei Shioshita, Osamu Sasaki, Kenichi Miyazaki, Yoshiyuki Ozono, Takehiko Koji, Takashi Harada, Hideto Sakai, and Shigeru Kohno* 1760

DIALYSIS – TRANSPLANTATION

Predictors of GBV-C infection among patients referred for renal transplantation. *B.V.R. Murthy, A. Scott Muerhoff, Suresh M. Desai, Svetlozar N. Natov, Beth A. Bouthot, Robin Ruthazer, Christopher H. Schmid, Andrew S. Levey, Isa K. Mushahwar, and Brian J.G. Pereira* (see Editorial, p. 1809) 1769

Major determinants of hyperhomocysteinemia in peritoneal dialysis patients. *Andreas Vychytil, Manuela Födinger, Gabriele Wölfl, Brigitte Enzenberger, Martin Auinger, Friedrich Prischl, Marina Buxbaum, Martin Wiesholzer, Christine Mannhalter, Walter H. Hörl, and Gere Sunder-Plassmann* 1775

Perfusion quantitation in transplanted rat kidney by MRI with arterial spin labeling. *Jian-Jun Wang, Kristy S. Hendrich, Edwin K. Jackson, Suzanne T. Ildstad, Donald S. Williams, and Chien Ho* 1783

Treatment of infected tunneled venous access hemodialysis catheters with guidewire exchange. *Derrick Robinson, Paul Suhocki, and Steve J. Schwab* 1792

Effects of balloon angioplasty and stent implantation on intrarenal echo-Doppler velocimetric indices. *Ivana Marana, Flavio Airoldi, Larry Burdick, Cristina Alberti, Andrea Lovaria, Silvia Saccheri, Gabriella Gazzano, Simone Palatresi, Barbara Nador, Lucia Turolo, and Alberto Morganti* 1795

TECHNICAL NOTE: RNA metabolism in uremic patients: Accumulation of modified ribonucleosides in uremic serum. *Toshimitsu Niwa, Naohito Takeda, and Hideo Yoshizumi* 1801

EDITORIALS

Chemokines in interstitial injury. *Theodore M. Danoff* 1807

GB virus-C (hepatitis G virus) nostalgia. *David Oldach* 1809

NEPHROLOGY FORUM
Endothelial cell activation. *Barbara J. Ballermann* 1810
INTERNATIONAL SOCIETY OF NEPHROLOGY
Meetings 1827
Awards and grants 1831
ACKNOWLEDGMENT OF CORPORATE SPONSORS 1833
ACKNOWLEDGMENT OF REVIEWERS 1834
KEYWORD INDEX 1838
AUTHOR INDEX 1847

Instructions for Authors on page xvii